Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6165	((717/124-126,149,154) or (714/25-38) or (702/186,196)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/23 09:03
S2	9	S1 and (@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification)) and ("717"/$ or "714"/$) and (module same (block or submodule or section)) and (decompos$6 or hierarch$5 or subdivi$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:05
S3	30	(US-6249882-$ or US-5758061-$ or US-5673387-$ or US-5193178-$ or US-4595981-$ or US-5805795-$ or US-5754760-$ or US-5634098-$ or US-5335342-$ or US-5021997-$ or US-4617663-$ or US-5005119-$ or US-6351455-$ or US-6629267-$ or US-5561762-$ or US-4862399-$ or US-5390193-$ or US-5159600-$ or US-6615163-$ or US-5831995-$ or US-5542043-$ or US-6256776-$ or US-6625760-$ or US-6601018-$ or US-6598222-$ or US-6275980-$).did. or (US-6237117-$ or US-5860009-$). did. or (US-20020066077-$ or US-20020154712-$).did.	US-PGPUB; USPAT	OR	OFF	2004/08/23 09:05
S4	8	S2 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:05
S5	41	((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 15:58

S6	26	((@ad<="20010820" or @rlad<="20010820") and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section or vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:43
S7	41	((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:39
S9	18	((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and ("717"/$ or "714"/$)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:02
S10	15	(@ad<="20010820" or @rlad<="20010820") and (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and ("717"/$ or "714"/$))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:20

S11	1	(((@ad<="20010820" or @rlad<="20010820") and (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and ("717"/$ or "714"/$))))) and (((((@ad<="20010820" or @rlad<="20010820") and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section or vector))) or ((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:07
S12	34	"4862399".URPN.	USPAT	OR	ON	2004/08/20 16:04
S13	355	(input same output) and ((test near2 (set or block or module)) same (decompos$5 or partition$4 or subdivi$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:07
S14	94	((input same output) and ((test near2 (set or block or module)) same (decompos$5 or partition$4 or subdivi$7))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/$ or "714"/$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:07

S15	1	(((input same output) and ((test near2 (set or block or module)) same (decompos$5 or partition$4 or subdivi$7))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/$ or "714"/$)) and (((((@ad<="20010820" or @rlad<="20010820") and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and ("717"/$ or "714"/$)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:23
S16	7	("4862399" | "4996689" | "5004978" | "5010552" | "5027353" | "5159600" | "5187712").PN.	USPAT	OR	ON	2004/08/20 16:12
S17	11	"5159600".URPN.	USPAT	OR	ON	2004/08/20 16:15
S18	19	"5542043".URPN.	USPAT	OR	ON	2004/08/20 16:17
S19	10	((subset or submodule) adj4 ((input or vector) and (program or software or code))) same (mapp$4 or apply$5 or submi$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:21
S20	4	(@ad<="20010820" or @rlad<="20010820") and (((subset or submodule) adj4 ((input or vector) and (program or software or code))) same (mapp$4 or apply$5 or submi$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:22
S21	8	(((input or vector) near5 (program or software or code))) same ((mapp$4 or apply$5 or submi$6) adj4 (subset or submodule))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:24

S22		7	(@ad<="20010820" or @rlad<="20010820") and ((((input or vector) near5 (program or software or code))) same ((mapp$4 or apply$5 or submi$6) adj4 (subset or submodule)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:36
S23		2	(((@ad<="20010820" or @rlad<="20010820") and ((((input or vector) near5 (program or software or code))) same ((mapp$4 or apply$5 or submi$6) adj4 (subset or submodule)))) and ("717"/$ or "714"/$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:23
S24		75	("717"/$ or "714"/$) and (((((@ad<="20010820" or @rlad<="20010820") and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section or vector))) or ((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and ("717"/$ or "714"/$)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:24
S25		0	"717"/$ and ((runn$4 or appl$4 or submi$6) near4 (set near8 (input and submodule)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:34
S26		1	"717"/$ and ((runn$4 or appl$4 or submi$6) near4 ((input and submodule)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:31
S28		7	(test$4 or debug$4 or verif$7). clm. and ((runn$4 or appl$4 or submi$6) near4 ((minimum or smallest) near8 (output same input)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 16:36

S29	7	(@ad<="20010820" or @rlad<="20010820") and ((test$4 or debug$4 or verif$7).clm. and ((runn$4 or appl$4 or submi$6) near4 ((minimum or smallest) near8 (output same input))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:04
S31	14	("3795864" | "3976826" | "4084136" | "4357677" | "4513288" | "5159600" | "5311176" | "5329279" | "5497395" | "5542043" | "5726925" | "5900856" | "6069574" | "6181310").PN.	USPAT	OR	ON	2004/08/20 16:38
S32	3	((iterativ$5 or incremental$4 or recursiv$5) near3 (isolat$4 or identif$4 or detect$4)) same ((software or program) adj2 (bug or error or fault or conflict or violation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:12
S33	2	(@ad<="20010820" or @rlad<=÷"20010820") and (((iterativ$5 or incremental$4 or recursiv$5) near3 (isolat$4 or identif$4 or detect$4)) same ((software or program) adj2 (bug or error or fault or conflict or violation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:32
S34	560	((debug$4 or test$4).ab. or ("714"/$ and (software adj module))) and ((partition$4 or decompos$4) same (test and (module or input)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:11
S35	126	(((debug$4 or test$4).ab. or ("714"/$ and (software adj module))) and ((partition$4 or decompos$4) same (test and (module or input)))) and (input and output) and (iterativ$5 or incremental$4 or recursiv$5) and (@ad<="20010820" or @rlad<="20010820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:13

| S36 | | 39 | (((((debug$4 or test$4).ab. or ("714"/$ and (software adj module))) and ((partition$4 or decompos$4) same (test and (module or input)))) and (input and output) and (iterativ$5 or incremental$4 or recursiv$5) and (@ad<="20010820" or @rlad<="20010820")) and (((((@ad<="20010820" or @rlad<="20010820") and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))) or ((input same output) and ((test near2 (set or block or module)) same (decompos$5 or partition$4 or subdivi$7))) or "5159600".URPN. or "5542043".URPN. or (("717"/$ or "714"/$) and (((((@ad<="20010820" or @rlad<="20010820") and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and ("717"/$ or "714"/$))))))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/20 17:14 |

| S37 | 14 | (((((debug$4 or test$4).ab. or ("714"/$ and (software adj module))) and ((partition$4 or decompos$4) same (test and (module or input)))) and (input and output) and (iterativ$5 or incremental$4 or recursiv$5) and (@ad<="20010820" or @rlad<="20010820")) and (((((@ad<="20010820" or @rlad<="20010820") and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))) or ((input same output) and ((test near2 (set or block or module)) same (decompos$5 or partition$4 or subdivi$7))) or "5159600". URPN. or "5542043".URPN. or (("717"/$ or "714"/$) and (((((@ad<="20010820" or @rlad<="20010820") and (((iterative$3 or recursiv$4)and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section or vector))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos$6)) and (apply$5 near5 input) and ((test$4 or debug$4 or verification).ab. or ((test$4 or debug$4).clm. and ("717"/$ or "714"/$))))))))) and "717"/$ and (debug$4 and input and log$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/20 17:18 |

S38	22	(((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))) not Accenture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:29
S41	8	((debug$4 or (fault near detect$4)) same (software or module)) and ((recursive$5 or incremental$5 or iterativ$4) same (result near8 compari$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:31
S42	8	(@ad<="20010820" or @rlad<="20010820") and (((debug$4 or (fault near detect$4)) same (software or module)) and ((recursive$5 or incremental$5 or iterativ$4) same (result near8 compari$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:58
S43	5	"6249882".URPN.	USPAT	OR	ON	2004/08/20 17:34
S44	13	("5335342" | "5634098" | "5651111" | "5664173" | "5740353" | "5754760" | "5758061" | "5805795" | "5862362" | "5892947" | "5905856" | "5949999" | "6023580").PN.	USPAT	OR	ON	2004/08/20 17:35
S45	4	("5414836" | "5455938" | "5500941" | "5604895").PN.	USPAT	OR	ON	2004/08/20 17:37
S46	18	"5805795".URPN.	USPAT	OR	ON	2004/08/20 17:38
S47	32	"4595981".URPN.	USPAT	OR	ON	2004/08/20 17:50
S51	48	((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/20 17:58
S52	43	(@ad<="20010820" or @rlad<="20010820") and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:22

S53	43	(@ad<="20010820" or @rlad<="20010820") and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 14:40
S54	43	((@ad<="20010820" or @rlad<="20010820") and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$))) not (Accenture.as. or Bowman.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:27
S55	38	(((@ad<="20010820" or @rlad<="20010820") and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:38
S56	0	(((((@ad<="20010820" or @rlad<="20010820") and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and (decomposition same test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:39
S57	41	((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:39
S58	168	(@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:40

S59	12	("717"/$ and (decomposition same test)) and (@ad<="20010820" or @rlad<="20010820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:40
S60	168	(((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:10
S61	44	((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:42
S62	13	(software near5 test) and ((recursive$5 or incremental$5 or iterativ$4) same (result near8 compari$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 15:42
S63	1	(((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5)))) and ((software near5 test) and ((recursive$5 or incremental$5 or iterativ$4) same (result near8 compari$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:08
S64	5	"6249882".URPN.	USPAT	OR	ON	2004/08/21 15:45
S65	13	("5335342" | "5634098" | "5651111" | "5664173" | "5740353" | "5754760" | "5758061" | "5805795" | "5862362" | "5892947" | "5905856" | "5949999" | "6023580").PN.	USPAT	OR	ON	2004/08/21 15:49
S66	8	("4825354" | "4945475" | "5021997" | "5182806" | "5230049" | "5274803" | "5414836" | "5421004").PN.	USPAT	OR	ON	2004/08/21 15:54

S67	30	("3733587" | "4296409" | "4358824" | "4383298" | "4384325" | "4399502" | "4402055" | "4404639" | "4424576" | "4437184" | "4453217" | "4468732" | "4495566" | "4545011" | "4589068" | "4595981" | "4606025" | "4611320" | "4617663" | "4639916" | "4648044" | "4649515" | "4654852" | "4658370" | "4670834" | "4730315" | "4736374" | "4742467" | "4841456" | "4899306").PN.	USPAT	OR	ON	2004/08/21 16:00
S68	32	"4617663".URPN.	USPAT	OR	ON	2004/08/21 16:05
S70	1598	(test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:10
S71	110	((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/$ or ("714"/$ and software.clm.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:11
S72	38	(((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (decompos$5 near6 (module or input or target or program or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:22
S73	13	"717"/$ and (decomposition same test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:12

S74	0	(((((@ad<="20010820" or @rlad<="20010820") and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and ((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (decompos$5 near6 (module or input or target or program or code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:33
S75	1	(((((@ad<="20010820" or @rlad<="20010820") and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and (((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:33
S76	22	(((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/$ or ("714"/$ and software.clm.))) and (((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (decompos$5 near6 (module or input or target or program or code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:21

S77	14	(((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/$ or ("714"/$ and software. clm.))) and ((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:35
S78	30	("3733587" | "4296409" | "4358824" | "4383298" | "4384325" | "4399502" | "4402055" | "4404639" | "4424576" | "4437184" | "4453217" | "4468732" | "4495566" | "4545011" | "4589068" | "4595981" | "4606025" | "4611320" | "4617663" | "4639916" | "4648044" | "4649515" | "4654852" | "4658370" | "4670834" | "4730315" | "4736374" | "4742467" | "4841456" | "4899306").PN.	USPAT	OR	ON	2004/08/21 16:48
S79	11	"5193178".URPN.	USPAT	OR	ON	2004/08/21 16:58
S80	7	"5561762".URPN.	USPAT	OR	ON	2004/08/21 17:02
S81	6	"6167352".URPN.	USPAT	OR	ON	2004/08/21 17:04
S82	50	"5005119".URPN.	USPAT	OR	ON	2004/08/21 17:16
S83	43	(@ad<="20010820" or @rlad<="20010820") and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:25
S84	21	(debug or test).ab. and ("717"/$ or "714"/$) and (decompos$5 near6 (module or input or target or program or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:26

| S85 | 54 | (((((@ad<="20010820" or @rlad<="20010820") and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or ((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))) or ((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) or (((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5)))) or (("3733587" | "4296409" | "4358824" | "4383298" | "4384325" | "4399502" | "4402055" | "4404639" | "4424576" | "4437184" | "4453217" | "4468732" | "4495566" | "4545011" | "4589068" | "4595981" | "4606025" | "4611320" | "4617663" | "4639916" | "4648044" | "4649515" | "4654852" | "4658370" | "4670834" | "4730315" | "4736374" | "4742467" | "4841456" | "4899306").PN.) or (((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/$ or ("714"/$ and software.clm.))) or ((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/08/21 17:25 |

S86	48	(((((((@ad<="20010820" or @rlad<="20010820") and (((incremental$4 or iterativ$4 or recursiv$5) near8 (input or submi$5)) same ((result or output) near5 (compar$6 or match$4 or verif$4 or check$4)) and ("717"/$ or "714"/$ or "345"/$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or ((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and ("717"/$ or "714"/$) and (module same (block or submodule or section))) or ((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) or (((((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or verification))) and (@ad<="20010820" or @rlad<="20010820")) and ((input and result) same ((set or subset or submodule) and (compar$4 or validat$4 or verif$5)))) or (("3733587" | "4296409" | "4358824" | "4383298" | "4384325" | "4399502" | "4402055" | "4404639" | "4424576" | "4437184" | "4453217" | "4468732" | "4495566" | "4545011" | "4589068" | "4595981" | "4606025" | "4611320" | "4617663" | "4639916" | "4648044" | "4649515" | "4654852" | "4658370" | "4670834" | "4730315" | "4736374" | "4742467" | "4841456" | "4899306").PN.) or (((test or debug or ((error or fault) near3 (isolat$$ or detection))) and (decompos$5 near6 (module or input or target or program or code))) and (@ad<="20010820" or @rlad<="20010820") and ("717"/$ or ("714"/$ and software. clm.))) or (((@ad<="20010820" or @rlad<="20010820") and ((incremental$3 and software) near6 (test$4 or debug$4 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:39